

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 1015
IDENTITY: COMMANDO 16A Revision Date: 01/21/2005

=====

Section I

| | | |
|----------------------|--------------------|--------------------|
| Manufacturer's Name: | CNS INDUSTRIES *** | Telephone Numbers: |
| Address: | DBA/SUPERCO | Emergency: |
| | 25041 ANZA DRIVE | 800/255-3924 |
| | VALENCIA | Information: |
| State: | CA Zip Code:91355 | 800/320-0102 |

HMIS CODES: REACTIVITY: 0 FLAMMABILITY: 3 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

| Name | Cas No. | OSHA PEL | ACGIH TLV | OTHER LIM | % |
|--------------------------|------------|----------|-----------|-----------|-------|
| ISOPARAFINIC HYDROCARBON | 64742-47-8 | 400 PPM | 400 PPM | | _____ |
| PROPANE/N-BUTANE | 68476-86-8 | 1000 PPM | 600 PPM | N/A | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

| | | | |
|-----------------------|-----|----------------------------|------|
| Boiling Point: | N/A | Specific Gravity (water=1) | 0.97 |
| Vapor Pressure(mm Hg) | N/A | Melting Point: | N/A |
| Vapor Density(AIR=1) | >1 | Evaporation Rate: | .2 |
| Solubility in Water: | 0% | (Butyl Acetate=1) | |

Appearance and Odor: MILKY LIQUID, SOLVENT ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point(Method Used):<100F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: FLAMMABLE. KEEP AWAY FROM SPARKS OR OPEN FLAME. CONTENTS UNDER PRESSURE.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 1015

=====
Stability: Unstable: Conditions to avoid:
 Stable: X OPEN FLAMES OR SPARKS-FLASH POINT 105F
Incompatibility (Materials to Avoid): STRONG OXIDIZERS

Hazardous Decomposition or Byproducts: ORGANICS CO2, CO AND SULPHUR OXIDES
MAY FORM COMBUSTIBLE MATERIAL.
Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

=====
Routes of Entry: Inhalation: NO Skin: YES Ingestion: YES
Health Hazards(Acute and Chronic):
INGESTION: HARMFUL OR FATAL IF SWALLOWED. SKIN: MAY CAUSE DEFATTING OF
TISSUES AND DRYING OF SKIN. EYES: WILL CAUSE SEVERE IRRITATION.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR.
INGESTION: DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY. SKIN:
WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER AND CONTACT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====
Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH
RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: Empty cans can be disposed in landfill.
Consult with local and state agencies for disposal of filled containers

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT, SPARKS
OR OPEN FLAMES. STORE IN A COOL DRY AREA. KEEP CONTAINER TIGHTLY SEALED.

Other Precautions: N/A

Section VIII: CONTROL MEASURES

=====
Respiratory Protection: N/A
Ventilation: Local Exhaust: ADEQUATE
Mechanical: EXPLOSION PROOF Special: N/A
Other: NO SMOKING OR OPEN FLAMES
Protective Gloves: N/A
Eye Protection: SAFETY GOGGLES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.
Other Protective Clothing or Equipment:
N/A

Work/Hygienic Practices:
WASH HANDS AFTER USE.