

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 7268
IDENTITY: ERASE TOWELS 6/40 Revision Date: 10/13/2004

=====

Section I

Manufacturer's Name:	CNS INDUSTRIES ***	Telephone Numbers:
Address:	DBA/SUPERCO	Emergency:
	25041 ANZA DRIVE	800/255-3924
	VALENCIA	Information:
State:	CA Zip Code:91355	800/320-0102

HMIS CODES: REACTIVITY: 0 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
1-BUTOXY-2-PROPANOL	144-55-8	NA	NA	NA	_____
SODIUM BICARBONATE	5131-66-8	NA	NA	NA	_____
SURFACTANT BLEND	--	NA	NA	NA	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point:	NA	Specific Gravity (water=1)	1.02
Vapor Pressure(mm Hg)	NA	Melting Point:	NA
Vapor Density(AIR=1)	>1	Evaporation Rate:	NA
Solubility in Water:	100%	(Butyl Acetate=1)	

Appearance and Odor: CLOTH IMPREGNATED WITH CLEAR LIQUID CITRUS FRAGRANCE

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point(Method Used):>200F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: NONE
Special Fire Fighting Procedures: APPLICABLE FOR SURROUNDING MATERIAL

Unusual Fire and Explosion Hazards: NONE

Section V: REACTIVITY DATA

PRODUCT NUMBER: 7268

Stability: Unstable: Conditions to avoid:
Stable: X N/A

Incompatibility (Materials to Avoid): NONE KNOWN

Hazardous Decomposition or Byproducts: OXIDES OF CARBON UNDER FORCED COMBUSTION.

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: N/A

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: NO Skin: NO Ingestion: NO
Health Hazards(Acute and Chronic):

EYES: IRRITANT SKIN: MILD IRRITATION POSSIBLE WITH PROLONGED CONTACT.
INGESTION: UNLIKELY DUE TO PACKAGING, BUT COULD CAUSE NAUSEA.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: EYES: RINSE THOROUGHLY WITH WATER.
IF IRRITATION PERSISTS CONTACT PHYSICIAN. INGESTION: CALL PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: WASH UP SPILL
USING ABSORBENT CLAY MATERIAL OR MOP. WASH AREA WITH SOAP AND WATER.
DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: CONSULT LOCAL ENVIRONMENTAL AUTHORITIES. SHOULD
BE ABLE TO BE PLACED IN SANITARY LANDFILL.

Precautions to be Taken in Handling and Storing: STORE IN A COOL DRY
AREA. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: N/A

Section VIII: CONTROL MEASURES

Respiratory Protection: N/A
Ventilation: Local Exhaust:N/A
Mechanical: N/A Special: N/A
Other: N/A

Protective Gloves:N/A
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS
Other Protective Clothing or Equipment:
N/A

Work/Hygienic Practices:
WASH HANDS AFTER USE