

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT NUMBER: 4015
IDENTITY: FRESH & DRY BREEZE 20A Revision Date: 08/10/2002
=====

Section I

Manufacturer's Name: CNS INDUSTRIES *** Telephone Numbers:
Address: DBA/SUPERCO Emergency:
25041 ANZA DRIVE 800/255-3924
VALENCIA Information:
State: CA Zip Code: 91355 800/320-0102
=====

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)
=====

Table with 6 columns: Name, Cas No., OSHA PEL, ACGIH TLV, OTHER LIM, %. Rows include ISOPARAFINIC HYDROCARBON and PROPANE/N-BUTANE.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212 F Specific Gravity (water=1) 0.96
Vapor Pressure(mm Hg) 100 Melting Point: N/A
Vapor Density(AIR=1) 1 Evaporation Rate: 2+
Solubility in Water: 85% (Butyl Acetate=1)
Appearance and Odor: FINE MIST, BABY POWDER SCENT

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used): >200F TCC Flammable Limits: LEL: N/A UEL: N/A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS.

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE.
EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. MAY DEVELOP A
FLAMMABLE ATMOSPHERE IN CONFINED AREAS.

Work/Hygienic Practices:
N/A