

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 5117
IDENTITY: GLEAM WIPES STAINLS 6/40 Revision Date: 10/12/2004

=====

Section I

Manufacturer's Name:	CNS INDUSTRIES ***	Telephone Numbers:
Address:	DBA/SUPERCO	Emergency:
	25041 ANZA DRIVE	800/255-3924
	VALENCIA	Information:
State:	CA Zip Code:91355	800/320-0102

HMIS CODES: REACTIVITY: 0 FLAMMABILITY: 2 HEALTH: 1 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
1,8-P-MENTHADIENE	5989-27-5	NE	NE	N/A	_____
ETHYL LACTATE	97-64-3	NA	NA	NA	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point:	NA	Specific Gravity (water=1)	0.85
Vapor Pressure(mm Hg)	NA	Melting Point:	N/A
Vapor Density(AIR=1)	NA	Evaporation Rate:	< 1
Solubility in Water:	0	(Butyl Acetate=1)	

Appearance and Odor: WIPE IMPREGNATED WITH YELLOW LIQUID CITRUS FRAGRANCE

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point(Method Used):127F TCC Flammable Limits: LEL:NA UEL: NA
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: EVACUATE AREA OF UNPROTECTED PERSONS.
WEAR SCBA AVOID VAPORS USE WATER SPARY TO COOL EXPOSED CONTAINERS.

Unusual Fire and Explosion Hazards: COMBUSTIBLE LIQUID. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 5117

Stability: Unstable: Conditions to avoid: NONE KNOWN
Stable: X
Incompatibility (Materials to Avoid): STRONG OXIDIZING AGENTS

Hazardous Decomposition or Byproducts: OXIDES OF CARBON

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards(Acute and Chronic):
INHALATION: EXCESSIVE EXPOSURE CAN CAUSE DIZZINESS. SKIN & EYES: WILL DEFAT AND IRRITATE EYES AND SKIN. INGESTION: WILL CAUSE NAUSEA AND/OR DIARRHEA.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE VICTIM TO FRESH AIR
SKIN: RINSE WITH SOAP AND WATER. EYES: RINSE WITH WATER FOR 15 MINUTES.
INGESTION: GIVE SMALL GLASS OF WATER. DO NOT INDUCE VOMITING. SEE
PHYSICIAN IMMEDIATELY.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: REMOVE ANY
SOURCE OF HEAT, FLAME, OR SPARKS. EVACUTE AFFECTED AREA. MOP UP WITH
APPROPRIATE ABSORBENT MATERIAL. AVOID BREATHING FUMES VENTILATE AREA.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL,
STATE AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT,
SPARKS AND FLAME. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION.
STORE IN ACCORDANCE WITH NEPA, STATE AND LOCAL GUIDELINES.

Other Precautions: AVOID PROLONGED OR REPEATED INHALATION OF MIST OR VAPOR
AND CONTACT WITH SKIN.

Section VIII: CONTROL MEASURES

Respiratory Protection: NOISH APPROVED RESPIRATOR PROTECTION IF NEEDED.

Ventilation: Local Exhaust:SUFFICIENT

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: YES CHEMICAL RESISTANT

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

WASH HANDS AFTER USE OF CHEMICAL PRODUCTS.