

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 1110

IDENTITY: CNS GRAF BUSTER STK 16A

Revision Date: 05/19/2004

=====

Section I

Manufacturer's Name: CNS INDUSTRIES ***
Address: DBA/SUPERCO
25041 ANZA DRIVE
VALENCIA
State: CA Zip Code: 91355

Telephone Numbers:
Emergency: 800/255-3924
Information: 800/320-0102

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 3 HEALTH: 1 PERSONAL PROTECT: 1

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
1,8-P-MENTHADIENE	5989-27-5	NE	NE	N/A	_____
ACETONE	67-64-1	1000 PPM	750 PPM	N/A	_____
GLYCOL ETHER DPM	34590-94-8	ND	ND		_____
GLYCOL ETHER PM	107-98-2	NE	100 PPM	N/A	_____
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A	_____
XYLENE (XYLOL) *	1330-20-7	100 PPM	100 PPM	N/A	_____

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point: 165 Specific Gravity (water=1) 1.00
Vapor Pressure(mm Hg) 100 Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: 2
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: VISCOUS SPRAY, AEROMATIC SOLVENT ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point(Method Used):100F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE.
EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. MAY DEVELOP A

FLAMMABLE ATMOSPHERE IN CONFINED AREAS.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 1110

=====
Stability: Unstable: Conditions to avoid:
 Stable: X TEMPERATURES ABOVE 120 F, HOT SURFACES
Incompatibility (Materials to Avoid): PLASTICS, PRE-TEST TO BE SPRAYED
BEFORE USING.
Hazardous Decomposition or Byproducts: EXPOSURE TO RED HOT SURFACES MAY
PRODUCE PHOSGENE, CARBON MONOXIDE AND HYDROGEN CHLORIDE GASES.
Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: N/A

Section VI: HEALTH HAZARD DATA

=====
Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards(Acute and Chronic):
INHALATION: WILL CAUSE DIZZINESS IF INHALED DIRECTLY. EYES: MAY CAUSE
TEMPORARY CORNEAL OPACITY. WILL CAUSE SEVERE IRRITATION. SKIN: MAY CAUSE
LOCALIZED DEFATTING OF SKIN AND IRRITATION. INGESTION: SEE BELOW
Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: INGESTION: MAY CAUSE NAUSEA, VOMITING,
DIARRHEA AND RESTLESSNESS. ASPIRATION INTO THE LUNGS CAN CAUSE SEVERE
CHEMICAL PNEUMONITIS OR PULMONARY HEMORRHAGE, WHICH CAN BE FATAL.
Medical Conditions Generally Aggravated by Exposure: NONE

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. EYES:
FLUSH WITH WATER FOR 15 MINUTES & CONTACT PHYSICIAN. SKIN: WASH WITH SOAP
& WATER. TREAT AFFECTED AREAS WITH SKIN MOISTURIZER & CONTACT PHYSICIAN.
INGESTION: DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====
Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH RAG
OR USE AN ABSORBENT CLAY MATERIAL OR TOWEL. DISPOSE OF RESIDUE IN
ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER IN OLD NEWSPAPER AND PLACE IN TRASH
COLLECTION. DO NOT REUSE EMPTY CONTAINER.

Precautions to be Taken in Handling and Storing: DO NOT USE OR STORE NEAR
HEAT, SPARKS, FIRE OR OPEN FLAME.

Other Precautions: EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.
DO NOT PUNCTURE OR INCINERATE CONTAINER. VAPOR MAY COLLECT IN LOW LYING
AREAS.

Section VIII: CONTROL MEASURES

=====
Respiratory Protection: USE ONLY IN A WELL VENTILATED AREA.
Ventilation: Local Exhaust: UNDER NORMAL USE ALL THAT IS GENERALLY REQUIRED.
Mechanical: REQUIRED IF TLV IS TO BE EX Special: NOT NORMALLY REQUIRED.
Other: NONE
Protective Gloves: CHEMICAL RESISTANT IF OVEREXPOSURE IS LIKELY.
Eye Protection: SAFETY GOGGLES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.
Other Protective Clothing or Equipment:

NORMALLY NOT REQUIRED.
Work/Hygienic Practices:
WASH HANDS AFTER USE.