

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 1042  
IDENTITY: LEMON SHINE-A                      20A                      Revision Date: 10/10/2002

=====

Section I

-----

Manufacturer's Name:	CNS INDUSTRIES ***	Telephone Numbers:
Address:	DBA/SUPERCO	Emergency:
	25041 ANZA DRIVE	800/255-3924
	VALENCIA	Information:
	State: CA Zip Code:91355	800/320-0102

-----

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
MINERAL SEAL OIL	64741-44-2	5 MG/M3	5 MG/M3	N/A	_____
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point:	N/A	Specific Gravity (water=1)	0.95
Vapor Pressure(mm Hg)	46PSI	Melting Point:	N/A
Vapor Density(AIR=1)	1	Evaporation Rate:	<1
Solubility in Water:	75%	(Butyl Acetate=1)	

Appearance and Odor: WHITE FOAM, LEMON ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point(Method Used):.200F TCC Flammable Limits: LEL:NE UEL: NE  
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER  
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS WHEN INDICATED

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 1042

=====  
Stability: Unstable:            Conditions to avoid: TEMPERATURES ABOVE 120 F  
                  Stable:    X            HOT SURFACES  
Incompatibility (Materials to Avoid): STRONG OXIDIZERS, ALKALIES, ACIDS.

Hazardous Decomposition or Byproducts: NONE KNOWN

Hazardous Polymerization:            May Occur:                            Will Not Occur: X  
Conditions to Avoid: NONE

Section VI:    HEALTH HAZARD DATA

=====  
Routes of Entry:            Inhalation: YES            Skin: YES            Ingestion: YES  
Health Hazards(Acute and Chronic):  
EYES: MAY CAUSE EYE IRRITATION. INHALATION: EXCESSIVE INHALATION MAY CAUSE  
DIZZINESS AND/OR HEADACHE. SKIN: MAY CAUSE LOCALIZED DEFATTING OF SKIN.  
INGESTION: MAY CAUSE NAUSEA AND/OR DIARRHEA  
Carcinogenicity: NTP:NO            IARC Monographs:NO            OSHA Reg:NO  
Signs and Symptoms of Exposure: SEE HEALTH HAZARD ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. EYES:  
FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH EFFECTED AREA WITH SOAP AND  
WATER. INGESTION: DRINK SEVERAL GLASSES OF WATER. IN ALL INSTANCES ABOVE,  
CONSULT PHYSICIAN.

Section VII:    PRECAUTIONS FOR SAFE HANDLING AND USE

=====  
Steps to be Taken in Case Material is Released or Spilled: MOP OR WIPE UP  
SPILL. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER AND PLACE IN TRASH COLLECTION. DO  
NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be Taken in Handling and Storing: STORE IN A COOL, DRY  
AREA. KEEP AWAY FROM HEAT, FLAMES, SPARKS, AND TEMPERATURES ABOVE 120F.

Other Precautions: N/A

Section VIII:    CONTROL MEASURES

=====  
Respiratory Protection: N/A  
Ventilation: Local Exhaust:ADEQUATE  
Mechanical: N/A                            Special: N/A  
Other:                            N/A  
Protective Gloves:N/A  
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.  
Other Protective Clothing or Equipment:  
N/A

Work/Hygienic Practices:  
WASH HANDS AFTER USE.