

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND DISTRIBUTOR'S INFORMATION						
NFPA Rating: Health-1; Flammability-0; Reactivity-0; Special- - Manufactured For: SUPERCO Address: 25133-A Anza Dr. Address: Valencia, CA 91355 Phone: (800)320-0102.			HMIS Rating: Health-1; Flammability-0; Reactivity-0; Personal Protection-B DOT Hazard Classification: Non-Flammable Identity (trade name as used on label): SNUG PA			
Emergency Response Number: NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA			MSDS Number: 7107 Revision - 3 Date Prepared: 10/26/95 Prepared By: RC Information Calls: (770)422-2071			
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
PETROLEUM OIL MIXTURE		8002-05-9	No	5mg/M3 TWA for oil mist	5mg/M3 TWA for oil mist	d
WARNING: This product contains a chemical or chemicals known to the State of California to cause cancer.						
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS						
Boiling Point: N/A Vapor Pressure: PSIG @ 70°F (Aerosols): N/A Vapor Density (Air = 1): 12 Solubility in Water: Negligible Appearance and Odor: Metallic silver gel with oil odor.			Specific Gravity (H2O=1): 0.8 Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): <0.01 @ 25°C Evaporation Rate (= 1): N/A Water Reactive: No			
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA						
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) N/A		Auto Ignition Temperature N/A		Flammability Limits in Air by % in Volume: % LEL: N/D % UEL: N/D		
FLASH POINT AND METHOD USED (non-aerosols): >400°F COC		SPECIAL FIRE FIGHTING PROCEDURES: Use water to cool fire-exposed containers, structures and to protect personnel. Water or foam may cause frothing. Firefighters may need to wear positive supplied or self-contained breathing apparatus.				
EXTINGUISHER MEDIA: Dry chemical (preferred), CO2, foam, water.		Unusual Fire & Explosion Hazards: Containers may rupture if exposed to temperatures above 130° F.				
SECTION 4 - REACTIVITY HAZARD DATA						
STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE		HAZARDOUS POLYMERIZATION <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT OCCUR				
Incompatibility (Mat. to avoid): Strong oxidizing agents.		Conditions to Avoid: None				
Hazardous Decomposition Products: Thermal: unidentified organics. Oxidation: oxides of carbon.						
SECTION 5 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: <input type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION <input checked="" type="checkbox"/> SKIN ABSORPTION <input checked="" type="checkbox"/> EYE <input type="checkbox"/> NOT HAZARDOUS						
ACUTE EFFECTS:						
Inhalation: Not expected to be a problem. Massive exposure to vapors or fumes may cause headache, dizziness and/or drowsiness.						
Eye Contact: May cause irritation.		Skin Contact: Repeated or prolonged contact may cause irritation and/or dermatitis.				
Ingestion: May cause gastrointestinal disturbances; nausea, vomiting, diarrhea.						
CHRONIC EFFECTS: None known.						
Medical Conditions Generally Aggravated by Exposure: Dermatitis.						
EMERGENCY FIRST AID PROCEDURES						
Eye Contact: Flush with water for at least 15 minutes. If irritation persists seek medical attention.						
Skin Contact: Wash contact area thoroughly with soap and water.						
Inhalation: Not expected to be a problem. Move from source of vapor or fumes.						
Ingestion: DO NOT INDUCE VOMITING. Give 2-3 large glasses of water. Seek immediate medical attention.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
Respiratory Protection (specify type): None needed under ordinary use.						
Protective Gloves: Oil resistant type.		Eye Protection: Safety glasses of chemical goggles.				
Ventilation Requirements: Normal room ventilation is adequate at ambient temperatures.						
Other Protective Clothing & Equipment: Oil resistant apron to prevent clothing contamination.						
Hygienic Work Practices: Do not wear oil soaked clothing. Wash after handling.						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
Steps To Be Taken If Material Is Spilled Or Released: Absorb on fire resistant absorbent. Place in properly labeled, non-leaking containers for proper disposal.						
Waste Disposal Methods: Consult local, state and/or federal regulations before disposing.						
Precautions To Be Taken In Handling & Storage: Keep away from flames, sparks or hot surfaces. See also Section 3. Keep containers closed. Shelf life one year.						
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Do not wear contaminated clothing. Wash skin thoroughly after handling. Clean empty containers properly.						

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only