

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 1056
IDENTITY: SUPER SLIDE-A 16A Revision Date: 01/21/2005

=====

Section I

Manufacturer's Name: CNS INDUSTRIES *** Telephone Numbers:
Address: DBA/SUPERCO Emergency:
25041 ANZA DRIVE 800/255-3924
VALENCIA Information:
State: CA Zip Code: 91355 800/320-0102

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 0 HEALTH: 2 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

Name		Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
CARBON DIOXIDE		124-38-9	5000 PPM	5000 PPM	N/A	_____
TETRACHLOROETHYLENE	*+	127-18-4	25 PPM	50 PPM	N/A	_____
TRICHLOROETHYLENE	*+	79-01-6	100PPM	50PPM	N/A	_____
_____		_____	_____	_____	_____	_____
_____		_____	_____	_____	_____	_____

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

THIS PRODUCT CONTAINS CHEMICAL(S) MARKED WITH A + KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point: 165 Specific Gravity (water=1) 1.30
Vapor Pressure(mm Hg) 100 Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: >1
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: CLEAR SPRAY, CHLORINATED SOLVENT ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point(Method Used):NONE Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. MAY DEVELOP A FLAMMABLE

APRON

Work/Hygienic Practices:

WASH HANDS THOROUGHLY AFTER USE.