

# MATERIAL SAFETY DATA SHEET

(ESSENTIALLY SIMILAR TO OSHA FORM 20, COMPLIES WITH 29CFR 1910:1200)

HAZARD RATING: HEALTH - 1, FIRE - 0, REACTIVITY - 0  
MINIMAL - 0      SLIGHT - 1      MODERATE - 2      SERIOUS - 3      SEVERE - 4

## \*\*\*SECTION I: GENERAL INFORMATION\*\*\*

MANUFACTURED FOR: SUPERCO SPECIALTY PRODUCTS  
ADDRESS: 25041 ANZA DRIVE.  
VALENCIA, CA 90355  
TELEPHONE NUMBER: (800) 320-0102  
DATE ISSUED/REVISED: DECEMBER 1, 2008  
**EMERGENCY RESPONSE NUMBER: 800-255-3924**  
**PRODUCT NAME: WATERLESS AUTO, TRUCK & CART WASH #3200**  
CHEMICAL NAME: BLEND  
CHEMICAL FAMILY: LIQUID WATER-BASED SILICONE BLEND

## HAZARDOUS MATERIAL DESCRIPTION

(PROPER SHIPPING NAME, HAZARD CLASS, HAZARD ID NO. (49 CFR 172.101)  
NONE

## \*\*\*SECTION II: HAZARDOUS INGREDIENTS\*\*\*

**AS LISTED IN EPA 40CFR PARTS 261 & 116 AND/OR MASS. DEQE CMR 670.00**

CHEMICAL NAME	CAS NO.	% BY WEIGHT	HAZARD DATA
		NONE	

CONTAINS NO INGREDIENT THAT IS LISTED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY IARC, NTP, OR OSHA.

## \*\*\*SECTION III: PHYSICAL DATA\*\*\*

BOILING POINT/RANGE (F): 317-388  
SPECIFIC GRAVITY: 1.00 (WATER=1)  
% VOLATILE BY VOLUME: NA  
EVAP. RATE (BUAC=1): NOT AVAILABLE  
WEIGHT/GALLON: 8.33# (WATER=8.33#)  
SOLUBILITY IN WATER: NOT SOLUBLE  
VAPOR PRESSURE (MM/HG): NOT AVAILABLE  
PHYSICAL STATE: WHITE LIQUID  
VAPOR DENSITY (AIR=1): NOT AVAILABLE  
ODOR: NONE

## \*\*\*SECTION IV: FIRE AND EXPLOSION HAZARD DATA\*\*\*

FLASH POINT (METHOD USED): 157-159°F (OPEN BEAKER)  
FLAMMABLE LIMITS: LEL: 1.3 UEL: 9.8 (ODORLESS MINERAL SPIRITS)  
FIRE EXTINGUISHING MEDIA: WATER FOG, FOAM, GAS (CO2/HALON), DRY CHEMICAL  
SPECIAL FIRE FIGHTING PROCEDURES: PROTECTIVE CLOTHING AND NIOSH/MSHA PRESSURE DEMAND, SELF CONTAINED BREATHING APPARATUS. UNOPENED CONTAINERS SHOULD BE KEPT COOL WITH WATER SPRAY OR REMOVED FROM THE FIRE AREA IF POSSIBLE AND KEPT COOL.  
UNUSUAL FIRE AND EXPLOSION HAZARDS: THERMAL DECOMPOSITION OR BURNING MAY PRODUCE TOXIC GASES INCLUDING CARBON MONOXIDE

**\*\*\*SECTION V: HEALTH HAZARD DATA\*\*\***

THRESHOLD LIMIT VALUE: SEE SECTION II

PRIMARY ROUTES OF ENTRY: INHALATION AND SKIN ABSORPTION

EFFECTS OF OVEREXPOSURE:

...ACUTE - MAY CAUSE SKIN AND EYE IRRITATION. HARMFUL IF SWALLOWED.

...CHRONIC - PROLONGED SKIN AND EYE CONTACT MAY CAUSE DERMATITIS AND CONJUNCTIVITIS.

EMERGENCY AND FIRST AID PROCEDURES:

...INHALATION - REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN - IF STOPPED, GIVE ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL ATTENTION.

...EYES - FLUSH THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, KEEPING LIDS APART. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

...SKIN - SEE "EYES." REMOVE CLOTHING IF CONTAMINATED.

...INGESTION - DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE LARGE QUANTITIES OF WATER. GET MEDICAL ATTENTION.

**\*\*\*SECTION VI: REACTIVITY DATA\*\*\***

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: EXTREME HEAT, CONTACT WITH OPEN FLAME, HOT SURFACES, SPARKS, ETC.

MATERIALS TO AVOID: DO NOT MIX WITH OTHER CHEMICALS, INCLUDING STRONG OXIDIZING CHEMICALS

HAZARDOUS DECOMPOSITION PRODUCTS: MAY DECOMPOSE AT HIGH TEMPERATURE TO CARBON MONOXIDE

**\*\*\*SECTION VII: SPILL OR LEAK PROCEDURES\*\*\***

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: RINSE WITH WATER OR ABSORB WITH FLOOR ABSORBENT, SAWDUST, OR RAGS.

WASTE DISPOSAL: DISPOSE OF ACCORDING TO LOCAL REGULATIONS FOR HAZARDOUS WASTE.

**\*\*\*SECTION VIII: SPECIAL PROTECTION INFORMATION\*\*\***

RESPIRATORY PROTECTION: NONE REQUIRED IF ADEQUATE VENTILATION. IF HIGH CONCENTRATION USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPOR.

VENTILATION TYPE: LOCAL EXHAUST ADEQUATE.

PROTECTIVE GLOVES: SOLVENT RESISTANT GLOVES RECOMMENDED

EYE PROTECTION: SAFETY GLASSES OR GOGGLES, FULL FACE SHIELD RECOMMENDED.

OTHER PROTECTIVE EQUIPMENT: SOLVENT RESISTANT APRON, CLOTHING, BOOTS

**\*\*\*SECTION IX: SPECIAL PRECAUTIONS\*\*\***

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: STORE IN A COOL AREA. DO NOT GET IN EYES OR ON SKIN. DO NOT TAKE INTERNALLY. WASH HANDS THOROUGHLY AFTER USE. AVOID BREATHING VAPORS.

OTHER PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. AVOID CONTACT WITH OTHER CHEMICALS. AVOID CONTACT WITH OPEN FLAMES, HOT SURFACES, SPARKS, ETC.